

VITOWELL

Vitowell Electric Water Heaters



About VIESSMANN

Founded in 1917 in Allendorf, Germany, Viessmann is a fourth-generation family business that is passionate about creating living spaces for generations to come. Now one of the world's leading providers of sustainable climate (heating, cooling, water and air quality) and renewable energy solutions with locations in 74 countries, Viessmann's German heritage and industry leadership have helped build a modern and highly integrated ecosystem

of solutions that emphasize safety, ease of use, high-quality design and durability. An innovation leader offering solutions for both consumer and commercial applications, Viessmann is also strongly invested in sustainable solutions, including the ongoing development of hydrogen technologies that will play a key role in the energy transition towards a net-zero future.



We create living spaces for generations to come.

Viessmann Group in Figures

1917

Viessmann
was founded

74

Countries with agents
and sales companies

12

Countries

More than

3.4

Group
turnover in
billions of
euros

14,500

Employees
Worldwide

More than

56

Export share
in percent

120

Sales Offices
Worldwide

Figures based on 2022

Features and benefits

Water heater for the entire family

VITOWELL Electric Water Heaters provide an extensive selection of water heaters for the entire family. They are highly durable and safe. The units include Ceratech Viessmann technology, which ensures maximum water pressure and corrosion resistance in water tanks, as well as a smart program that is energy efficient and allows for precise temperature control.



Ceratech Technology

Viessmann electric water heaters use an enamel coating formula with exclusive Ceratech technology that is resistant to high temperatures and does not degrade, extending the life of the water tank. Ceratech's anti-corrosion in water tank coating has been developed by experts for decades, and continuous improvement is made using the best materials and most advanced technology. Ceratech layer's greater thickness and density makes water tank's inner surface heat resistant, perfectly smooth, and reduces scale buildup that can cause corrosion.



High durability and safety standards

As part of Viessmann, we have an obligation to deliver high-quality products. All of our water heaters are made of the finest ABS or steel. Our products are developed to the highest quality and comply with EU standards for health, safety, and environmental protection.



Designed for different need

VITOWELL Electric Water Heaters are available in a number of designs to meet the needs of each generation. Their slim, simple, and modern designs are also suitable for installation under the house ceiling. Traditional and compact cubic designs make them ideal for small-space living.



Soft Touch Display

Constant digital temperature regulation and easy to use.



VITOWELL Comfort storage water heaters

Range / Type of water heaters	Cube	Slim	Cylinder (Horizontal / Vertical)		
Classic	 10L	 15L	 30L	 20L	 50L, 80L, 100L
Premium	 15L	 30L	 20L		
Deluxe	 15L	 30L			



VITOWELL comfort cube storage water heaters

Classic



Ceratech Technology
Ceratech Technology® coating on water tank for long term use.



Electronic ELCB
For complete electrical leakage protection.

High quality - Durability - Safe

The VITOWELL Comfort Cube Classic is a reliable, technologically advanced German product.

Feature

- Precise temperature setting
- Large magnesium anode for maximum tank corrosion protection.
- Designed for quick and efficient heating
- Double safety thermostats for overheating protection
- Solid, high quality ABS structure
- European CE quality certification

10 Liters	200 Watts / 220 Volts	6,8 kg
15 Liters	350 Watts / 220 Volts	7,6 kg
30 Liters	500 Watts / 220 Volts	12 kg



Premium



Ceratech Technology
Ceratech Technology® coating on water tank for long term use.



Ceramic Heating Element
Ceratech Technology® coated Heating Element for ultimate durability



Temperature LED
Seamlessly precise temperature setting using visual LED.

Increased efficiency and usability

VITOWELL Comfort Cube Premium is a reliable and long-lasting product. The LED indicator light makes everything easy to control.

Feature

- Precision temperature control with LED ring indicator
- Ceramic heating element for advanced corrosion protection
- Designed for fast and efficient heating
- Double safety thermostats for overheating protection
- Solid, high quality ABS structure
- European CE quality certification
- Large magnesium anode for maximum tank corrosion protection

15 Liters	350 Watts / 220 Volts	7,6 kg
30 Liters	500 Watts / 220 Volts	12 kg



VITOWELL Comfort Cube storage water heaters

Deluxe



Smart control and maximum efficiency

Individually controllable, highly precise, and efficient: the VITOWELL Comfort Cube Deluxe water heater is ideal for those who want their family to be comfortable and safe.

Feature

- Easily adjustable digital temperature using a touch screen
- Dual power option: fast, constant, and energy efficient warm-up time
- Solid, high quality ABS structure
- Ceramic heating element for advanced corrosion protection
- Double safety thermostats for overheating protection
- Large magnesium anode for maximum tank corrosion protection
- Programmable electronic timer for heating
- European CE quality certification

■ 15 Liters	500 Watts / 220 Volts	7,6 kg
■ 30 Liters	800 Watts / 220 Volts	12 kg



Ceratech Technology
Ceratech Technology® coating on water tank for long term use.




Double Power Option
Independent heating element coated with Ceratech Technology® for fast, low-power heating.



Electronic Timer
Timing of hot water availability



Soft Touch Display
With a nice touch screen display



Classic, Premium, or Deluxe?

The VITOWELL Comfort Cube water heater is available in Classic, Premium, and Deluxe styles with capacities ranging from 10 to 30 liters.

VITOWELL COMFORT CUBE		CLASSIC			PREMIUM		DELUXE	
Product Description		Comfort C1 R10	Comfort C1 R15	Comfort C1 R30	Comfort P1 R15	Comfort P1 R130	Comfort D1 R15	Comfort D1 R30
Storage Capacity		10 Liter	15 Liter	30 Liter	15 Liter	30 Liter	15 Liter	30 Liter
Power / Voltage		200W / 220V	350W / 220V	500W / 220V	350W / 220V	500W / 220V	500W / 220V	800W / 220V
Frequency		50Hz	50Hz	50Hz	50Hz	50Hz	50Hz	50Hz
Max Working Pressure		8 Bar	8 Bar	8 Bar	8 Bar	8 Bar	8 Bar	8 Bar
Max Working Temperature		75°C	75°C	75°C	75°C	75°C	80°C	80°C
Heating Element Material		Incoloy	Incoloy	Incoloy	Ceratech	Ceratech	Ceratech	Ceratech
Weight		6.8 Kg	7.6 Kg	12 Kg	7.6 Kg	12 Kg	7.6 Kg	12 Kg
Water proof casing		IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4
ELCB Type		Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic
LED Temperature Ready					Yes	Yes	Yes	Yes
Ceratech Heating Element					Yes	Yes	Yes	Yes
Temperature regulation		Knob	Knob	Knob	Knob	Knob	Digital	Digital
Double Heating Element							Yes	Yes
Digital Display / Regulation							Yes	Yes
Programming							Yes	Yes

All products, product specifications, and data are subject to change without notice in order to improve product reliability, functionality, or design.

VITOWELL Comfort Slim storage water heaters

Classic




High quality and safe

The VITOWELL Comfort Slim Classic is a reliable, technologically advanced German product.

Feature

- Precise temperature setting
- Large magnesium anode for maximum tank corrosion protection
- Designed for fast and efficient heating
- Dual safety thermostats for overheating protection
- Solid, high quality ABS structure
- European CE quality certification

20 Liters 350 Watts / 220 Volts 10.5 kg



Ceratech Technology
Ceratech Technology® coating on water tank for long term use.



Electronic ELCB
For complete electrical leakage protection.

Premium



Increased efficiency and usability

VITOWELL Comfort Slim Premium is a reliable and long-lasting product. The LED indicator light makes everything easy to control.

Feature

- Precision temperature control with LED ring indicator
- Ceramic heating element for advanced corrosion protection
- Designed for fast and efficient heating
- Dual safety thermostats for overheating protection
- Solid, high quality ABS structure
- European CE quality certification
- Large magnesium anode for maximum tank corrosion protection

20 Liters 350 Watts / 220 Volts 10.5 kg



Ceratech Technology
Ceratech Technology® coating on water tank for long term use.



Ceramic Heating Element
Ceratech Technology® coated Heating Element for ultimate durability



Temperature LED
Seamlessly precise temperature setting using LED visual.

Classic or Premium?

VITOWELL Comfort Slim water heater is available in Classic and Premium styles with capacity of 20 liters.

VITOWELL COMFORT SLIM		CLASSIC	PREMIUM
Product Description		Comfort C1 S20	Comfort P1 S20
Storage Capacity		20 Liter	20 Liter
Power / Voltage		350W / 220V	350W / 220V
Frequency		50Hz	50Hz
Max Working Pressure		8 Bar	8 Bar
Max Working Temperature		75°C	75°C
Heating Element Material		Incoloy	Ceratech
Weight		10.5 Kg	10.5 Kg
Water proof casing		IPX4	IPX4
ELCB Type		Electronic	Electronic
LED Temperature Ready			Yes
Ceratech Heating Element			Yes
Temeparture regulation		Knob	Knob
Double Heating Element			
Digital Display / Regulation			
Programming			

All products, product specifications, and data are subject to change without notice in order to improve product reliability, functionality, or design.

VITOWELL Comfort Cylinders



Hot water for the entire house

VITOWELL Comfort Cylinders water heater, with capacities ranging from 50 to 100 liters, is an excellent choice for supplying hot water throughout your home. You can install it horizontally or vertically.

Feature

- Large magnesium anode for maximum tank corrosion protection
- Dual safety thermostats for overheating protection
- Temperature LED for user convenience
- Horizontal or vertical installation
- Designed for fast and efficient water heating
- Solid, high quality ABS structure
- European CE quality certification

■ 50 Liters	800 Watts/220 Volts	19 kg
■ 80 Liters	1.2kW/220 Volts	25 kg
■ 100 Liters	1.5kW/220 Volts	29 kg



VITOWELL Comfort Cylinders?

VITOWELL Comfort Cylinders water heater with large capacity is durable and safe, providing hot water comfort for everyone in the house.

Model	C1 50V (Vertical)	C1 80V (Vertical)	C1 100V (Vertical)	C1 50H (Horizontal)	C1 80H (Horizontal)	C1 100H (Horizontal)
Storage Capacity	50 Liter	80 Liter	100 Liter	50 Liter	80 Liter	100 Liter
Control Method	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical
Power / Voltage	800W / 220V	1200W / 220V	1500W / 2,5kW	800W / 220V	1200W / 220V	1500W / 220V
Heating Element Material	Incoloy	Incoloy	Incoloy	Incoloy	Incoloy	Incoloy
Temperature Range	35-75°C	35-75°C	35-75°C	35-75°C	35-75°C	35-75°C
Relief Valve Pressure (mPa)	0.8MPa	0.8MPa	0.8MPa	0.8MPa	0.8MPa	0.8MPa
Water-proof grade	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4
Water Connection size	G½"	G½"	G½"	G½"	G½"	G½"
Insulation thickness (mm)	25	28	28	25	28	28
Product size:						
A (mm)	372	430	430	372	430	430
B (mm)	785	885	1065	772	865	1043
C (mm)	390	448	448	100	100	100
D (mm)	100	100	100	360	450	450
Weight (net / gross) Kg	19	25	29	19	25	29
Box Size (mm)	448*448*840	503*503*940	503*503*1120	448*448*855	503*503*945	503*503*1025

Features and benefits

Perfectly tempered water, In the smallest space.

VITOWELL Easy water heaters are a great solution in any space. They achieve top performance in spite of their amazingly compact size. Behind the user-friendly design lies genuine German craftsmanship. The durable, safe products constantly supply showers with hot water, allowing you to shower at your desired temperature without any fluctuations.



A superior level of safety

The innovative Viessmann mechanical ELCB safety switch guarantees complete safety against electrical hazards by means of a mechanical circuit breaker that reacts to any possible electrical leakage. The scalding protection assures that Viessmann instant heaters turn off at 55°C for maximum protection of your family.



Constant Temperature Technology

Controlled temperature system to provide constant temperature no matter the changes of inlet water temperature or water flows.

* applicable for premium and deluxe models



Anti-scalding

Protection with auto shut-off at 55°C



Memory Mode Function

Memory setting of up to 2* temperatures allowing users to pre-set, making it convenient for temperature control.

*applicable for deluxe model



VITOWELL Easy instant water heaters

Classic



Mechanical ELCB
For complete electrical leakage protection.



Compact Design
Modern, space-saving design

Shower comfort that is both simple and safe

VITOWELL Easy Classic water heater is designed for user convenience. ELCB's mechanical protection with a compact design ensures absolute safety.

Feature

- Mechanical ELCB
- Manual temperature setting
- IP25 waterproof frame
- Automatically switch off at 55°C
- Solid, high quality ABS structure
- Shower kit included

■ Electrical power	2,4 kW
■ Electrical voltage	220-240 V
■ Water connection	G1/2"
■ Weight, excluding pump	1,7 kg
■ Weight, including pump	2,4 kg



Premium



Mechanical ELCB
For complete electrical leakage protection



Constant Temperature
Constant temperature technology for user convenience



Temperature LED
Seamlessly precise temperature setting using LED visual.

Visual LED shower comfort support

VITOWELL Easy Premium is a reliable and convenient water heater. Pleasure while showering in a premium design at a constant temperature.

Feature

- Mechanical ELCB
- Manual temperature setting with LED ring
- Constant temperature control
- IP25 waterproof frame
- Automatically switch off at 55°C
- Solid, high quality ABS structure
- Shower kit included

■ Electrical power	2,4 kW
■ Electrical voltage	220-240 V
■ Water connection	G1/2"
■ Weight, excluding pump	1,7 kg
■ Weight, including pump	2,4 kg



Deluxe



Mechanical ELCB
For complete electrical leakage protection



Constant Temperature
Constant temperature technology for user convenience



Memory Mode
2 temperature memories, easily set for family members



Soft Touch Display
With a nice touch screen display

Advanced precision

VITOWELL Easy Deluxe is a high-performance instant water heater that recognizes your preferred constant temperature.

Feature

- Mechanical ELCB
- Electronic digital temperature control with touch screen
- Constant temperature control
- Temperature preset memory mode
- IP25 waterproof frame
- Automatically switch off at 55°C
- Solid, high quality ABS structure
- Shower kit included

■ Electrical power	2,4 kW
■ Electrical voltage	220-240 V
■ Water connection	G1/2"
■ Weight, excluding pump	1,7 kg
■ Weight, including pump	2,4 kg



VITOWELL Easy + Rain shower


A shower experience like no other

Enjoy a complete rain shower experience and unbeatable comfort with the high-performance Viessmann Duo Shower system coupled with multi-spray showerhead. The DC water pump offers a quiet operation while a mechanical ELCB safety switch allows users to shower with a peace of mind.

A shower experience like no other

- DC water pump to boost an even higher water comfort with quiet operation
- Peace of mind with mechanical ELCB safety switch
- High-end duo shower system with high performance rain shower
- Unbeatable comfort with classic multi-spray shower head combined with rain shower experience

Rainshower Dimensions



Dimension

A (mm)	880-1120
B (mm)	642
C (mm)	435
D (mm)	ø204



Classic, Premium, or Deluxe?

Find VITOWELL Easy water heater with important features for you and your family.

	VITOWELL EASY	CLASSIC	PREMIUM	DELUXE
Product Description	EASY C1	EASY C1	EASY P1	EASY D1
Power / Voltage	2.4kW / 220V	2.4kW / 220V	2.4kW / 220V	2.4kW / 220V
Frequency	50Hz	50Hz	50Hz	50Hz
Min Inlet Water Pressure	0.1 Bar	0.1 Bar	0.1 Bar	0.1 Bar
Max Inlet Water Pressure	6 Bar	6 Bar	6 Bar	6 Bar
Min Water Flow Rate	2 Lit/min	2 Lit/min	2 Lit/min	2 Lit/min
Water Connection	G½"	G½"	G½"	G½"
Water proof casing	IP25	IP25	IP25	IP25
ELCB Type	Mechanical	Mechanical	Mechanical	Mechanical
Weight	1.7 Kg	1.7 Kg	1.7 Kg	1.7 Kg
Constant Temperature control	No	Yes	Yes	Yes
LED Temperature assistance	No	Yes	Yes	Yes
Smart Temperature regulation Knob	No	No	No	No
Digital Display / Regulation	No	No	No	Yes
Preset Temp. Memo function	No	No	No	Yes (2)
CE Certification	Yes	Yes	Yes	Yes

All products, product specifications, and data are subject to change without notice in order to improve product reliability, functionality, or design.



VISSMANN GROUP

Viessmannstraße 1, 35108 Allendorf (Eder) Germany

Viessmann Regional Headquarters,

South East Asia and Oceania

25 International Business Park

German Centre #04-01/02

609916 Singapore

Phone: +65 69708411

E-mail: service@viessmann.sg